	Hits	Search Text	DBs
1	3645	(345/87,88,90,92,99,38,42,48,50,51,206,690,210-215).CCLS.	•
2	0	((345/87,88,90,92,99,38,42,48,50,51,206,690,210-215).CCLS.) and ((liguid adjcrystal adj displ\$4) adj data adjdriv\$4)	USPAT; US-PGPUB
3	0	((345/87,88,90,92,99,38,42,48,50,51,206,690,210-215).CCLS.) and ((liguid adjcrystal adjdispl\$4) and (data adjdriv\$4))	USPAT; US-PGPUB
4	201	drive\$4)	USPAT; US-PGPUB
5	318	((345/87,88,90,92,99,38,42,48,50,51,20 6,690,210-215).CCLS.) and (data adj drive\$4)	USPAT; US-PGPUB
б	0	((((345/87,88,90,92,99,38,42,48,50,51,206,690,210-215).CCLS.) and (data adjdrive\$4)) (((345/87,88,90,92,99,38,42,48,50,51,206,690,210-215).CCLS.) and (lcd adjdrive\$4))) and (chain adj connct\$6)	USPAT; US-PGPUB
7	483	(((345/87,88,90,92,99,38,42,48,50,51,2 06,690,210-215).CCLS.) and (data adj drive\$4)) (((345/87,88,90,92,99,38,42,48,50,51,2 06,690,210-215).CCLS.) and (lcd adj drive\$4))	USPAT; US-PGPUB
8	4	((345/87,88,90,92,99,38,42,48,50,51,20 6,690,210-215).CCLS.) and (LCD adj data adj driv\$4)	USPAT; US-PGPUB
9	29	((((345/87,88,90,92,99,38,42,48,50,51, 206,690,210-215).CCLS.) and (data adj drive\$4)) (((345/87,88,90,92,99,38,42,48,50,51,2 06,690,210-215).CCLS.) and (lcd adj drive\$4))) and (serial adj data)	USPAT; US-PGPUB
10	23	((((345/87,88,90,92,99,38,42,48,50,51, 206,690,210-215).CCLS.) and (data adj drive\$4)) (((345/87,88,90,92,99,38,42,48,50,51,2 06,690,210-215).CCLS.) and (1cd adj drive\$4))) and chain\$4	USPAT; US-PGPUB
11	27	((((345/87,88,90,92,99,38,42,48,50,51, 206,690,210-215).CCLS.) and (data adj drive\$4)) (((345/87,88,90,92,99,38,42,48,50,51,2 06,690,210-215).CCLS.) and (lcd adj drive\$4))) and cascad\$4	JSPAT; US-PGPUB

	Hits	Search Text	DBs
12	7420	((345/87,88,90,92,99,38,42,48,50,51,206,690,210-215,89,98,100,147,204,205) or (327/94-96,100,427)).CCLS.	USPAT; US-PGPUB
13	33	(cascade chain serial) near5 (data adj transfe\$4)	USPAT; US-PGPUB
14	4126	(cascade chain serial) near5 (data adj transfe\$4)	DERWENT: IBM TDB
15	291	(cascade chain serial) near5 (data adj transfe\$4) and LCD	USPAT; EPO; JPO;
16	0	(cascade chain serial) near5 (data adj transfe\$4) and LCD and (power adj feed adj lin\$4)	DERWENT; IBM_TDB
17	66	(cascade chain serial) near5 (data adj transfe\$4) and LCD and feed	DERWENT. IBM TOP
18	66	(cascade chain serial) near5 (data adj transfe\$4) and LCD and feed	USPAT; EPO; JPO; DERWENT; IBM TDB
19	61	((cascade chain serial) near5 (data adj transfe\$4) and LCD and feed) and power	USPAT; US-PGPUB
20	503	yanagi.in.	USPAT; US-PGPUB
21	21		USPAT; US-PGPUB
22	0		USPAT; EPO; JPO; DERWENT; IBM TDB
23	0	(syncronizatio\$4 near5 pattern) same (serial adj data)	USPAT; EPO; JPO; DERWENT; IBM TDB
24	72	(synchronizatio\$4 adj pattern) same (serial adj data)	USPAT; EPO; JPO; DERWENT; IBM TDB
25	1	((synchronizatio\$4 adj pattern) same (serial adj data)) and lcd	USPAT; EPO; JPO; DERWENT; IBM TDB
26	4	((cascade chain seri\$3) near5 (data adj transfe\$4)) with LCD	USPAT; US-PGPUB
27	75		USPAT; US-PGPUB
28	45	((cascade chain seri\$3) adj3 (data adj transfe\$4)) same LCD	USPAT; US-PGPUB
29	43	((cascade chain seri\$3) adj (data adj transfe\$4)) same LCD	USPAT; US-PGPUB
30	2		EPO; JPO; DERWENT; IBM_TDB
31	315	koji.in. and LCD	USPAT; US-PGPUB
32	46		USPAT; US-PGPUB
33	2		EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
34	13	((cascade chain seri\$3) adj (signal adj lines)) same LCD	USPAT; US-PGPUB
35	0	((cascade chain seri\$3) adj (signal adj lines) adj IC) same LCD	USPAT; US-PGPUB
36	0	((cascade chain seri\$3) adj (driver adj IC)) same LCD	USPAT; US-PGPUB
37	6	((cascade chain seri\$3) adj (driver)) same LCD	USPAT; US-PGPUB
38	42	((cascade chain seri\$3) adj (driver)) and LCD	USPAT; US-PGPUB
39	0	((cascade) adj (driver) adj IC) and LCD	USPAT; US-PGPUB
40	1	((cascade) adj (driver)) and LCD	USPAT; US-PGPUB
41	1	((cascade chain serial) near5 (data adj transfe\$4)) and (dummy adj circuit)	USPAT; EPO; JPO; DERWENT; IBM_TDB
42	25	((cascade chain serial) and (data adj transfe\$4)) and (dummy adj circuit)	USPAT; EPO; JPO; DERWENT; IBM_TDB
43	36	((cascade chain seri\$3) adj (driver)) and LCD	USPAT
44	580	- · ·	USPAT
45	6	((cascade chain seri\$3) adj (driver)) with LCD	USPAT
46	2	((cascade and seri\$3) with (driver)) with LCD	USPAT
47	3	((cascade with seri\$3) with (driver)) and LCD	USPAT
48	19	((cascade with seri\$3) with (driver))	
49	2	((cascade and seri\$3) with (driver adj IC))	USPAT
50	4	((cascade and seri\$3) with (driver adj IC))	USPAT; US-PGPUB
51		((cascade and seri\$3) with (driver adj IC))	EPO; JPO; DERWENT; IBM TDB
52	2	((cascade and seri\$3) with (driver	USPAT
53	12	((cascade) with (driver near2 IC))	USPAT